

*PLUS, Inc.*  
**Filtration**

**LIQUID FILTRATION**



**219-879-0663**

**Standard and Custom Bags**

4208 N 900 WEST / MICHIGAN CITY, IN 46360 / TEL 219-879-0663 / FAX 219-879-0670

# Flange and Ring Type Bags



## Size 1

Fits all standard-length housings made by:  
Eaton,  
FSI,  
GAF,  
Pentair,  
Rosedale,  
Strainrite

Area: 2.5 Sq. Ft.  
Diameter: 7.05"  
Length: 16.5"



## Size PC2

Fits Cuno  
Model PC2  
housings:

Area: 5.0 Sq. Ft.  
Diameter: 9.0"  
Length: 30.0"



## Size C2

Fits all Commercial-Parker filters  
standard-length  
housings:

Area: 4.4 Sq. Ft.  
Diameter: 7.31"  
Length: 32.0"



## Size 2

Fits all double-length housings made by:  
Eaton,  
FSI,  
GAF,  
Pentair,  
Rosedale,  
Strainrite

Area: 4.4 Sq. Ft.  
Diameter: 7.31"  
Length: 32.0"



## Size 3

Fits the following housings:  
Eaton,  
FSI,  
Pentair,  
Rosedale Model 4-6

Area: 0.8 Sq. Ft.  
Diameter: 4.12"  
Length: 9.0"



## Size PC1

Fits Cuno  
Model PC1 housings:

Area: 2.5 Sq. Ft.  
Diameter: 9.0"  
Length: 20.0"



## Size C1

Fits all Commercial-Parker filters  
standard-length  
housings:

Area: 2.0 Sq. Ft.  
Diameter: 7.31"  
Length: 16.5"



## Size 4

Fits the following housings:  
Eaton,  
FSI Model FS-35,  
Pentair,  
Rosedale Model 4-12

Area: 1.3 Sq. Ft.  
Diameter: 4.12"  
Length: 14.0"

# Flange and Ring Type Bags



## Size 12

Fits Rosedale  
Model LLC-8-30:

Area: 5.6 Sq. Ft.  
Diameter: 8-3/8"  
Length: 32"

## Size 7

Fits Pentair,  
Rosedale  
Model 612:

Area: 1.3 Sq. Ft.  
Diameter: 5.6"  
Length: 15"

## Size 8

Fits Pentair,  
Rosedale  
Model 618:

Area: 2.0 Sq. Ft.  
Diameter: 5.6"  
Length: 32"

## Size 9

Fits Pentair,  
Rosedale  
Model 630:

Area: 3.3 Sq. Ft.  
Diameter: 5.6"  
Length: 32"

## RP1

Fits Ronning  
Petter Size 1:

Area: 3.5 Sq. Ft.  
Diameter: 8"  
Length: 30"


## RP2

Diameter: 8"  
Length: 40"

# Tie-On and Special Bags

Available in standard and custom designs

With or without drawstrings in a variety of sizes



# How To Order Filter Bags Build an ordering code as shown in this example.

Example: **PE-25 - P - 7 - S - H**

## FIBER AND MICRON RATINGS

Felt, polyester = **PE**  
 Microns: 1, 3, 5, 10, 25, 50, 75, 100, 200  
 Felt, polypropylene = **PO**  
 Microns: 1, 3, 5, 10, 25, 50, 100, 200  
 Mesh, monofilament = **NMO**  
 Microns: 1, 5, 10, 25, 50, 75, 100, 125, 150, 175, 200, 250, 300, 400, 600, 800, 1000, 1200  
 Mesh, monofilament polypropylene = **PMO**  
 Microns: 150, 200, 250, 300, 400, 600, 800  
 Mesh, multifilament polyester = **PEM**  
 Microns: 75, 100, 125, 150, 200, 250, 300, 400, 600, 800, 1000, 1500  
 Felt, Nomex = **HT**  
 Microns: 1, 5, 10, 25, 50, 100  
 Polypropylene, micro fiber = **POMF**  
 Microns: .5A, 1A, 2A, 10A, 25A  
 Polyester, micro fiber = **PEMF**  
 Microns: 1, 2.5, 5, 10, 25  
 Graded Density = **GD**  
 Series: 523, 525, 527, 529

## BAG FINISH OR COVER

None (standard) = **P**  
 Fiber-free glazed, or singed finish = **G**  
 Polyester multifilament mesh cover = **PEM**  
 Spun-bonded nylon cover (Cerex) = **C**  
 Nylon multifilament mesh cover = **NM**

## OPTIONS

**H** = Handle  
**B** = Binding  
**WE** = Welded

## BAG STYLE

**S** = Carbon steel plated ring  
**SS** = Stainless steel ring  
**PP** = Polypropylene ring  
**T** = Drawstring  
**R** = No ring  
**P** = Polypropylene flange

**POL** = Polypropylene flange  
**PEL** = Polyester flange  
**NYL** = Nylon flange  
**POSS** = Polypropylene flange  
**PESS** = Polyester flange  
**NYSS** = Nylon flange

## BAG DIMENSIONS

Symbol	Dia. (in.)	Length (in.)	Symbol	Dia. (in.)	Length (in.)
<b>1</b>	7-1/16	x 16-1/2	<b>RP-1</b>	8.0	x 30
<b>2</b>	7-1/16	x 32	<b>RP-2</b>	8.0	x 40
<b>3</b>	4-1/8	x 8	<b>PC-1</b>	9.0	x 20
<b>4</b>	4-1/8	x 14	<b>PC-2</b>	9.0	x 30
<b>5</b>	4.0	x 24	<b>P30</b>	4.0	x 10
<b>7</b>	5-5/8	x 15	<b>P65</b>	4.0	x 23
<b>8</b>	5-5/8	x 21	<b>X1</b>	4-5/16	x 8
<b>9</b>	5-5/8	x 32	<b>X2</b>	4-5/16	x 14
<b>11</b>	8-3/8	x 16-1/2	<b>X01-100</b>	5-7/8	x 21
<b>12</b>	8-3/8	x 32	<b>410</b>	4.6	x 8
<b>C-1</b>	7.31	x 16.5	<b>420</b>	4.6	x 18
<b>C-2</b>	7.31	x 31.0			


## Standard Fibers And Micron Ratings

Construction	Fiber	Available Micron Ratings																					
		1	3	5	10	15	25	50	75	100	125	150	175	200	250	300	400	600	800	1000	1200	1500	
Felts	Polyester																						
	Polypropylene																						
	HT-High Temp																						
Multifilament Meshes	Polyester																						
	Nylon																						
Monofilament Meshes	Nylon																						
Meshes	Polypropylene																						

## Compatibility and Temperature Limits For Standard Bag Materials

Fiber	Compatibility With							Temperature-Limitations (max. deg. F)
	Organic Solvents	Animal Vegetable & Petro Oils	Micro-Organisms	Alkalies	Organic Agents	Oxidizing Agents	Mineral Acids	
Polyester	Excellent			Good			300	
Polypropylene	Excellent			Excellent		Good	200	
Nylon	Good			Fair	Poor		325	

Bag Size	Surface Area (sq. ft.)	Viscosity (cps)	Correction Factor
		50	4.5
		100	8.3
1	2.0	200	16.6
1 (inner)	1.6	400	27.7
2	4.4	800	50.0
2 (inner)	3.6	1000	56.2
3	0.5	1500	77.2
4	1.0	2000	113.6
7	1.8	4000	161.0
8	2.0	6000	250.0
9	3.4	8000	325.0
12	5.6	10000	430.0



**Disclaimer of Warranty**  
 To the best of our knowledge, the data contained in this publication is correct; however, we do not assume any liability for the accuracy or completeness of the information. Users should perform their own tests to determine final suitability. Final determination of the suitability of any information or product for the use contemplated by any user, the manner of that use, and whether there is any infringement of patents is the sole responsibility of the user.